

GreenTag® GreenRate Listing

ecospecifier global
**GREEN TAG
CERTIFIED**

Summary Tab



Interloc – Timber Laminated Lockers

Overview

GreenTag® GreenRate Level A certified low VOC and very low E0 formaldehyde timber laminated lockers for a range of commercial and industrial storage applications.

Product Description

Interloc Timber Laminate Lockers are available in a variety of colours and sizes and can be customised according to clients' requirements. Locker doors are available in rectangular, interlocking/wave shaped or mini-sized door options.

Product is suitable for a range of recreational, sporting, fitness, healthcare, educational, hospitality commercial and industrial applications and has low VOC emissions assisting in improving indoor environmental quality (IEQ).

The product is GreenTag® GreenRate Level A Certified under *Scheme 21* for meeting the following criteria:

Toxicity: No Red Light Comments or Issues of Concern.

Social and Environmental Compliance: Legal Compliance, Compliant Supply Chain and Compliant Environmental Claims.

Durability: Fitness for Purpose standards testing, warranty and replacement parts.

End of Life: Verified Product Stewardship Program.

Product Emissions: Compliant VOC emissions.

See 'Detailed Assessment' tab above for Green Star® recognised Certification.

Detailed Assessment Tab



Overview

GreenTag® GreenRate Level A certified low VOC and very low E0 Formaldehyde timber laminated lockers for a range of commercial and industrial applications.



Download the Green Star® recognised Certification



here:

The product has achieved GreenRate Level A for GBCA Materials Calculator third party certification.

PRODUCT SPECIFICATIONS

Options	<i>Interloc Timber Laminate Lockers</i> can be customised to suit client requirements. Product is available in a range of colours, sizes, configurations, lock types and with a range of available accessories. Please contact supplier via the Supplier tab above for more information or for a product brochure, click here .
Colours	<i>Interloc Timber Laminate Lockers</i> are available in a range of colours depending on client requirements.
Warranty	Warranty period provided by company and verified by documentation.
Expected Life	Commercial 10 year warranty provided under normal use of product.
Indicative Costs	Contact <i>Interloc</i> through the Product Enquiry Tab for indicative costs.
Purchase Options	Contact <i>Interloc</i> through the Product Enquiry Tab for purchase options.
Constituents	<p>Panel of the product is available in:</p> <ul style="list-style-type: none"> • GreenTag® Gold GreenRate Level A certified Laminex Decorwood Standard E0 MDF, • GreenTag® Gold GreenRate Level A certified Laminex Lamiwood E0 MR MDF and • Laminex Vertiboard. <p>Other components include;</p> <ul style="list-style-type: none"> • ABS edge strips: GreenGuard certified IAQ with TVOC emissions complying with a limit of 0.5mg/m²/hour, • Steel handles & hardware: available zinc plated or powder coated and hardware, • Adhesives: EVA hot melt adhesive* <p>*Exact constituent names, percentages and weights are confidential, but have been confidentially sighted and verified by ecospecifier global.</p>
Technical Specifications	<p>Fitness for purpose information provided by company and verified by documentation and declarations.</p> <p>Panels used in this product are tested according to the following standards:</p> <p><i>Reaction to Fire</i> AS/NZS 1530.3:1999</p> <p><i>Heat and Smoke Release</i> AS/NZS 3837:1998</p> <p><i>Resistance to Wear</i> AS/NZS 1859.3:2005</p> <p><i>Physical Properties</i> AS/NZS 1859.2:2004</p>
National & International Standards	Ecospecifier GreenTag® GreenRate Level A ISO 14001 Environmental Management System
Country of Origin	Product assembled in Australia.
Projects	Contact <i>Interloc</i> for a list of projects.
Preparation	No specific preparation requirements.

Ecospecifier GreenTag® GreenRate Assessment

PAC-1 GREENHOUSE GAS EMISSIONS

InterLoc has not elected to undergo a Life Cycle Analysis and does not currently report on life cycle Greenhouse Gas Emissions for the product.

PAC-2 TOXICITY

ECOSPECIFIER CAUTIONARY ASSESSMENT PROCESS (ESCAP)

Ecospecifier Issues of Concern / Red Lights

The products do not contain levels of carcinogens, toxic substances or hazardous chemicals that warrant ecological or human health concerns throughout their life cycle.

The products have successfully passed the **ecospecifier** Cautionary Assessment Process (ESCAP) and no issues of concern or red lights comments exist regarding the toxicity of the products. InterLoc has a certified ISO 14001 EMS and has demonstrated the gathering of data on toxics usage and generation in a format that allows tracking of all toxics purchased or generated with the aim of elimination of toxics in the production process, along with a commitment to continuous improvement.

Ecological Health

The wood content of this product utilises GreenTag® Gold GreenRate Level A certified Laminex E0 MDF and particleboard which is 60% post-industrial recycled content and 40% reclaimed silviculture fibre, sourced from Western Australian and Queensland Government plantations. These plantations are not FSC-certified.

Various timber certification schemes are currently in operation regarding the sustainable and responsible management of forests as sources of wood. According to **ecospecifier**, an analysis of the various timber certification schemes reveals that the Forest Stewardship Council (**FSC**) is the most rigorous and robust, and environmentally desirable certification to receive, due to the stringent criteria followed, (e.g. FSC is the only scheme based on a clear set of min. performance based criteria, prohibits the conversion of forests to plantations, and also prohibits the use of GMO trees). See **Timber Technical Guide**.

HUMAN HEALTH

Minor amounts of Acrylonitrile Butadiene Styrene (ABS) are present as edge strips. ABS is made from Group 1 precursors (carcinogenic to humans) and Group 2B (possibly carcinogenic to humans) chemicals classified by International Agency for Research on Cancer (IARC). While the final polymerised product is highly unlikely to cause adverse effect on human health, protective clothing should be worn during manufacture of ABS. Refer to Materials Safety Data Sheet for further information.

Product contains Medium Density Fiberboard (MDF) which has very low formaldehyde (E0) and VOC emissions, improving occupant health and as such, it does not adversely affect Indoor Air Quality (IAQ). Product core is an E0 MDS board which has very low formaldehyde emissions (less than 0.5Mg/L) in accordance with AS/NZS 1959.2:2004 standards. Please refer to **Glossary** for information on **formaldehyde** and **VOC** associated health issues.

Comfort

Not applicable.

Electromagnetic Radiation

Not applicable.

Safety

Not applicable.

Accessibility

Product is able to be customised to enhance accessibility.

PAC-3 MATERIALS EXTRACTION

DATA COLLECTION

Environmental Management Systems (EMS)

The company operates under an ISO 14001 Certified **EMS** at their manufacturing facility.

ECOLOGICAL QUALITY

Terrestrial

Emissions – Petroleum extraction and distribution can contribute to oil spills. There is process emissions associated with the production of ABS plastic used in the edging.

Product contains steel and handles and hardware. The iron and other ores used in the production of steel lead to localised emissions to terrestrial environments around production facilities.

The production of alumina from bauxite ores uses a chemical treatment known as the Bayer Process (see **Glossary**). The alkaline (fluoride containing) mist associated with this process may have adverse land and soil impacts.

Physical – ABS is a petrochemical based plastic. Petroleum extraction can cause localised terrestrial disturbance around oil fields, via mining infrastructure and subsidence.

The extraction of ores used to make steel as well as mineral extraction of bauxite will disrupt local landscapes and alter local ecosystems. Mining requires removal of topsoil and overburden before deeper excavation occurs.

Aquatic

Emissions – The extraction of iron and other ores in the production of steel as well as the mineral extraction of bauxite, have associated emissions to aquatic environments that have localised impacts around production facilities.

Physical – Petrochemical extraction can cause localised aquatic disturbance around oil fields via mining infrastructure and dredging of the seabed. Petroleum extraction and distribution can also contribute to oil spills at sea.

The extraction of iron and other ores in the production of steel have associated minor localised physical impacts on aquatic environments around production facilities.

Bauxite residues of red mud are disposed of in dams. Bauxite residue (chemically stable and non-toxic) is pumped to disposal dams where the mud is allowed to settle. The excess water is discharged into marine environments.

Operational Efficiency – Not applicable.

Re-use Efficiency – The product is reusable.

PAC-4 WATER

Interloc has not elected to undergo water use accounting and does not currently report on water use for the product.

PAC-5 SOCIAL & ENVIRONMENTAL REQUIREMENTS

LEGAL COMPLIANCE

Interloc has not been involved in any litigation in the past 5 years and has demonstrated compliance with relevant social and environmental legislative or other legal requirements.

COMPLIANT SUPPLY CHAIN

Yes, both the manufacturer and supplier of *Interloc Timber Laminated Lockers* has implemented a Corporate Social Responsibility Policy that demonstrates the organisation considers the impacts of its activities on the environment, consumers, employees, communities, and all other members of the public sphere during corporate decision-making.

Independent assurance and documented evidence has been sighted by **ecospecifier** global from major suppliers demonstrating whole of enterprise social compliance to International Labour Organisation (ILO) conventions (as a minimum):

- Freedom of Association and Collective Bargaining (Conventions 87 and 98);
- Elimination of Forced and Compulsory Labour (Conventions 29 and 105);
- Elimination of Discrimination in respect of employment and occupation (Conventions 100 and 111);
- Occupational Safety and Health (Convention 155 and its accompanying Recommendation No. 164);
- Occupational Health Services (Convention 161 and its accompanying Recommendation No. 171).

ENVIRONMENTAL CLAIMS

Interloc's public claims on products' environmental performance are verified as compliant with ISO 14021 'Environmental Labels and Declarations – Self-Declared Environmental Claims' (Type II Environmental Labelling requirements).

Biodiversity

The use of ABS plastic generates biodiversity impacts through the atmospheric emissions generated during the refining and manufacturing processes of the virgin material. These have not been quantified in terms of impacts on biological systems, except in the case of oil-spill impacts which, while rare, can have significant localised impacts.

Iron and bauxite mining leads to loss of biodiversity, modified soil profiles, topography and drainage which additionally impact natural vegetation and surrounding biodiversity.

Particle board contains some recycled content which minimises the impacts associated with timber; however timber and wood products can be among the most environmentally destructive from a biodiversity and ecological quality point of view, due to some forestry practices that lead to the loss and fragmentation of vegetation and habitat for ecological communities.

Resource Efficiency

Product utilises GreenTag® Gold GreenRate Level A certified Laminex E0 MDF and particleboard containing 60% post-industrial recycled wood content.

Iron ore and bauxite are abundant, but still finite and non-renewable resources. Globally, steel and aluminium are largely recycled building materials.

The base of ABS plastic, fossil fuels is a finite and limited resource.

PAC-6 DURABILITY

FITNESS FOR PURPOSE

Product overall is not certified against specific standards. However, panels used in this product demonstrate compliance with the Standard for furniture components in compliance with AS/NZS 1859.2:2004 Standard Specification for Reconstituted wood-based panels – Specifications – Dry-processed fibreboard and AS/NZS 1859.3:2005 Standard Specification for Reconstituted wood-based panels – Specifications – Decorative overlaid wood panels and other relevant national fitness for purpose standards including;

NCCS- BUILDING CODE OF AUSTRALIA 2011:

Referenced Standards Compliance

- **The Laminex Group – Laminex Lamiwood MR®**

Reaction to Fire

AS/NZS 1530.3:1999 – Ignitability 14, Spread of Flame 8, Heat Evolved 7, Smoke Developed 4.

- **The Laminex Group – Laminex Vertiboard MR®**

Reaction to Fire

AS/NZS 1530.3:1999 – Ignitability 14, Spread of Flame 8, Heat Evolved 7, Smoke Developed 4.

- **The Laminex Group – Laminex Decowood ®**

Reaction to Fire

AS/NZS 1530.3:1999 – Ignitability 14, Spread of Flame 8, Heat Evolved 7, Smoke Developed 4.

Non - Referenced Standards Compliance

- **The Laminex Group – Laminex Lamiwood MR®**

Heat and Smoke Release

AS/NZS 3837:1998 - Group 3, Average specific extinction area 90.1 m²/kg.

Resistance to wear

AS/NZS 1859.3:2005 Reconstituted wood-based panels – Specifications – Decorative overlaid wood panels.

Results: Solid Colours Average > 300 cycles, Prints and woodgrains Average > 40 cycles, Resistance to steam No noticeable permeability effects.

Physical Properties

AS/NZS 1859.2:2004 Reconstituted wood-based panels – Specifications – Dry-processed fibreboard.

- **The Laminex Group – Laminex Vertiboard MR®**

Heat and Smoke Release

AS/NZS 3837:1998 - Group 3, Average specific extinction area 61.3 m²/kg.

Resistance to wear

AS/NZS 1859.3:2005 Reconstituted wood-based panels – Specifications – Decorative overlaid wood panels.

Results: Solid Colours Average > 300 cycles, Prints and woodgrains Average > 40 cycles, Resistance to steam No noticeable permeability effects.

Physical Properties

AS/NZS 1859.2:2004 Reconstituted wood-based panels – Specifications – Dry-processed fibreboard.

- **The Laminex Group – Laminex Decorwood®**

Heat and Smoke Release

AS/NZS 3837:1998 - Group 3, Average specific extinction area 53.3 m²/kg.

Resistance to wear

AS/NZS 1859.3:2005 Reconstituted wood-based panels – Specifications – Decorative overlaid wood panels.

Results: Solid Colours Average > 300 cycles, Prints and woodgrains Average > 40 cycles, Resistance to steam No noticeable permeability effects.

Physical Properties

AS/NZS 1859.2:2004 Reconstituted wood-based panels – Specifications – Dry-processed fibreboard.

REPLACEMENT PARTS

Contractual agreement held by company as part of their maintenance program to supply hardware and replacement parts that assist in extending the useful life of the product.

Durability

Product has a 10 year warranty.

Reusability

Product is able to be dismantled and reused under normal use.

Repairability

Product can be repaired and individual components replaced where necessary.

PRODUCT STEWARDSHIP PROGRAM

Interloc offers a Product Stewardship Program (PSP) for the product. Product has been designed in a way that enhances disassembly into individual components for recycling and InterLoc has a number of contractual agreements in place with various recycling companies within Australia to ensure product is recycled at the end of its useful life.

VERIFICATION OF PRODUCT STEWARDSHIP PROGRAM

Interloch has provided evidence that the necessary arrangements and relationships exist in order to carry out the obligations of its PSP.

DESIGN FOR DISASSEMBLY

Interloc has provided evidence that demonstrates appropriate design for disassembly strategies that ensures that their products are designed in a way that enable their easy separation into base unit materials to improve end of life recycling.

Recyclability

The product is able to be fully recycled at appropriate recycling facilities.

Maintenance

Cleaning of the lockers should be carried out with a damp cloth. Cleaning sprays such as Windex are suitable and should be used to remove any stubborn marks. Rub with a soft clean, dry cloth to bring back brightness. Never use abrasive cream/liquid cleaners, thinner-acetone based agents or scourers as these will damage the surface of the lockers.

PAC-8 PRODUCT EMISSIONS

IEQ Certification: VOCs: This product is Certified to Meet Green Star IEQ VOC credits for Tenancy Fitout Items.

The GreenTag® GreenRate certificate may be used to demonstrate compliance to the relevant Green Star™ IEQ credits for VOC emissions of Fitout products.

Indoor Environment Quality

Interloc Timber Laminated Lockers has been tested for TVOC to ASTM D5116 and complies as a minimum with TVOC emissions limits as follows:

- a) Total VOC limit 0.5mg/m²/hour
- b) 4-PC (4-Phenylcyclohexene) 0.05mg/m² per hour.

Product does not adversely affect IEQ and these low emissions add to a healthy indoor environment.

Information last verified on 9th January 2012. Certification valid until 21st April 2012.

RELATED TOPICS

Adhesives & Sealants.

Materials Calculator Credits

Green Star™ Office Interiors Version 1.1 Materials Calculator - Joinery												
Product Classification	Eco Preferred Content	Modular		DfD		Credit Points Achieved						
Environmentally Innovative	≥20%	Yes		≥90%		1						

Green Star™ Office Interiors Version 1.1 Materials Calculator - Storage												
Product Classification	Eco Preferred Content	Durability	EMS	EMS ISO 14001 Certified	EMS – Waste Minimisation	EMS – Energy Consumption	EMS – Emissions	EMS-Materials Minimisation	Product Stewardship	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	>10 yrs	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	≥90%	1

Green Star™ Education Version 1 Materials Calculator - Joinery

Product Classification	Eco Preferred Content	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	Yes	≥90%	1

Green Star™ Education Version 1 Materials Calculator – Loose Furniture

Product Classification	Eco Preferred Content	Durability	EMS	EMS ISO 14001 Certified	EMS – Waste Minimisation	EMS – Energy Consumption	EMS – Emissions	EMS-Materials Minimisation	Product Stewardship	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	>10 yrs	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	≥90%	3

Green Star™ Multi Unit Residential Version 1 Materials Calculator - Joinery

Product Classification	Eco Preferred Content	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	Yes	≥90%	1

Green Star™ Healthcare Version 1 Materials Calculator - Joinery

Product Classification	Eco Preferred Content	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	Yes	≥90%	1

Green Star™ Healthcare Version 1 Materials Calculator – Loose Furniture

Product Classification	Eco Preferred Content	Durability	EMS	EMS ISO 14001 Certified	EMS – Waste Minimisation	EMS – Energy Consumption	EMS – Emissions	EMS-Materials Minimisation	Product Stewardship	Modular	DfD	Credit Points Achieved
Environmentally Innovative	≥20%	>10 yrs	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	≥90%	4

Green Star™ Fitout Calculator - Assemblies

Re-used Item	Product Stewardship	Certified Product	Re-used, recycled or Certified content	Environmental Management System	Credit Points Achieved
No	Yes	Level A	Yes	Yes	3

Note: relevant for custom made lockers only. Storage units that are ‘off-the-shelf’ items are excluded from the Assemblies Fitout Calculator. These are assessed under the furniture Fitout Calculator as storage units.

Green Star™ Fitout Calculator - Furniture

Re-used Item	Product Stewardship	Certified Product	Re-used, recycled or Certified content	Environmental Management System	Credit Points Achieved
No	Yes	Level A	Yes	Yes	3

Note: relevant for lockers which are purchased ‘off-the-shelf’, whether they are assembled offsite or onsite.

* Materials Calculators have been modified by ecospecifier for presentation purposes.

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Office_Interiors_joinery_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Office_Interiors_storage_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Education_joinery_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Education_furniture_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_MultiUnit_joinery_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_healthcare_joinery_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_healthcare_furniture_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Assemblies_v1.jpg

S:\PRODUCT LISTINGS\GREENTAG\E.M.Utick PI\Certification
Docs\120109_InterLoc_Timber_Lockers_Mat_Calc_Furniture_v1.jpg

GREEN BUILDING CREDITS

ECOSPECIFIER VERIFIED GREEN BUILDING SCHEME PRE-ASSESSMENT

National Australian Built Environment Rating System (NABERS) Compatibility
None.

BASIX Building Sustainability Compatibility
None.

Green Star™ Office Interiors Version 1.1

IEQ 11 – VOC Tenancy Fitout Items
IEQ 12 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities
Mat 6 – Storage
Mat 7 – Joinery
Materials Calculator

Green Star™ Office Design Version 2

IEQ 14 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities

Green Star™ Office Version 3

IEQ 14 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities

Green Star™ Retail Centre Version 1

IEQ 9 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities

Green Star™ Education Version 1

IEQ 9 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities
Mat 12 – Joinery
Mat 13 – Loose Furniture
Materials Calculator

Green Star™ Industrial Version 1

IEQ 9 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities

Green Star™ Multi Unit Residential Version 1

IEQ 9 – Formaldehyde Minimisation

Tra 3 – Note 1: Cyclist Facilities
Mat 12 – Joinery
Materials Calculator

Green Star™ Healthcare Version 1

IEQ 9 – Formaldehyde Minimisation
Tra 3 – Note 1: Cyclist Facilities
Mat 12 – Joinery
Mat 13 – Loose Furniture
Materials Calculator

GBCA Disclaimer

Green Specification Tab

PRODUCT SPECIFICATION

Direct Specification

The storage lockers shall be *Interloc Timber Laminated Lockers*, as distributed by Interloc Lockers Pty Ltd of Australia.

Performance Specification

Fit For Purpose:

The storage lockers shall be comprised of panels with a Level A certified laminated timber MDF board with steel hardware or powder coated hardware as selected.

In respect of reaction to fire, the panels shall have been fully tested to AS/NZS 1530.3:1999 by an independent test house as having an ignitability index of 14, spread of flame 8, heat evolved 7 and smoke developed 4.

In respect of heat and smoke release, the panels shall have been fully tested to AS/NZS 3837:1998 as being classified as Group 3 and as having an average specific extinction area of 90.1m²/kg, 61.3 m²/kg or 53.3 m²/kg.

In respect of resistance to wear, the panels shall have been fully tested to AS/NZS 1859.3:2005 as having a solid colours average of >300 cycles, prints and woodgrains average of >40 cycles and a resistance to steam resulting in no noticeable permeability effects.

Green Performance:

- a) The lockers shall: **Be certified as LEVEL A** under a Green Building Council of Australia recognised third party certification system.

OR

- b) **Health and Ecotoxicity:** Product shall comply with ecospecifier global ESCAP and subject to a risk assessment not contain greater than 0.1% of any compound classified by the IARC as a Class 1, 2, 2A or 2B carcinogen, or classified by EU Directive 2001/59/EC as a Category 1, 2 or 3 Mutagen, or classified by EU Directive 2001/59/EC as a Category 1, 2, 3 or 4 Terratogen.
- c) **Social and Environmental Requirements:** Product shall demonstrate legal compliance to Australian social and environmental legislation and provide evidence of Compliant Supply Chain and Compliant Environmental Claims (according to ISO 14021).
- d) **Durability:** Product shall demonstrate compliance with all relevant Fit for Purpose requirements and provide replacement parts for the useful life of the product.
- e) **End of Life:** Product shall demonstrate design for disassembly capability of a minimum of 90% where supplier shall demonstrate appropriate design for disassembly strategies that ensure products are designed in a way that enable their easy separation into recyclable units to improve end of life recycling (where relevant). Supplier shall provide contractual arrangements
-

with the customer to take products back at the end of the products in-use phase for some form of refurbishment, reuse, or recycling.

- f) **VOC's:** Product shall be compliant to VOC and TVOC levels in accordance with ASTM D5116 and complies as a minimum with the following TVOC emissions limits:
 - i. Total VOC limit 0.5mg/m²/hour
 - ii. 4-PC (4-Phenylcyclohexene) 0.05mg/m² per hour.

AND

The manufacturer of the storage lockers must also be in possession of valid:

- a) Environmental management certificate, showing compliance with ISO 14001:2004.

RELATED KNOWLEDGE BASE ARTICLES

- [ecospecifier Eco Priority Guide: Timber and Wood Products](#)
- [ecospecifier Eco Priority Guide: Doors](#)
- [ecospecifier Technical Guide 1: Timber & Wood Products](#)
- [ecospecifier Technical Guide 1b: Timber Preservatives & Treatments](#)
- [ecospecifier Technical Guide 1c: Timber Suitable Uses & Application Guide](#)

CSI / SPECPACK CATEGORY & NUMBER

- 12 Furnishings
- 06060 Wood Material
- 061113 Engineered Wood Products

NATSPEC CATEGORY AND NUMBER

- 0551 Joinery
- 0572 Miscellaneous Furniture

Certifications

Certifications	
<input type="checkbox"/>	GreenTag Platinum
<input checked="" type="checkbox"/>	GreenTag Gold
<input type="checkbox"/>	GreenTag Silver
<input type="checkbox"/>	GreenTag Bronze
<input type="checkbox"/>	GreenTag Certification
<input type="checkbox"/>	Ecospecifier verified
<input type="checkbox"/>	FSC
<input type="checkbox"/>	GECA
<input checked="" type="checkbox"/>	AFS
<input checked="" type="checkbox"/>	PEFC
<input type="checkbox"/>	AFRDI
<input type="checkbox"/>	ACCS
<input type="checkbox"/>	GreenGuard

SustainabilityCriteria

WORKPLACE OH&S, OCCUPANT HEALTH, HUMAN WELL-BEING	
<input checked="" type="checkbox"/>	Low/Reduced offgassing
<input checked="" type="checkbox"/>	Reduced, or no toxicity/ carcinogens/mutagens/teratogens or ionizing agents through life cycle
<input type="checkbox"/>	Reduced electromagnetic radiation

<input type="checkbox"/>	Promotes safety and security
<input checked="" type="checkbox"/>	Improved indoor environment
<input type="checkbox"/>	Reduces visual disturbance
<input type="checkbox"/>	Improved Occupational Health and Safety (OH&S)
HABITAT & BIODIVERSITY CONSERVATION	
<input checked="" type="checkbox"/>	Reduced terrestrial impacts
<input type="checkbox"/>	Reduced aquatic impacts
<input type="checkbox"/>	Contributes to biodiversity
<input type="checkbox"/>	Net-Positive biodiversity contribution
<input type="checkbox"/>	Independent management accreditation
<input type="checkbox"/>	Reduced waste generation
<input type="checkbox"/>	Reduced generation of hazardous waste
AIR POLLUTION	
<input checked="" type="checkbox"/>	Reduced, or no toxicity/ carcinogens/mutagens/teratogens or ionizing agents through life cycle
<input type="checkbox"/>	Reduced smog-forming potential
<input type="checkbox"/>	Reduced urban heat island potential
<input type="checkbox"/>	Reduced Ozone Depleting Substances (ODSs)
<input checked="" type="checkbox"/>	Reduced Greenhouse Gas (GHG) emissions
<input type="checkbox"/>	Greenhouse Gas (GHG) Neutral
<input type="checkbox"/>	Greenhouse Gas (GHG) Sink
RESOURCE DEPLETION	
<input type="checkbox"/>	Abundant
<input type="checkbox"/>	Recycled content- post consumer min 10%
<input type="checkbox"/>	Recycled content- post consumer min 20%
<input type="checkbox"/>	Recycled content- post consumer min 50%
<input type="checkbox"/>	Reduced water consumption
<input type="checkbox"/>	Water production (potable)
<input type="checkbox"/>	Water production (non-potable)
<input checked="" type="checkbox"/>	Resource efficiency
<input checked="" type="checkbox"/>	Durability
<input checked="" type="checkbox"/>	Extended Producer Responsibility scheme (EPR), product stewardship and take-back schemes
<input type="checkbox"/>	Eco packaging
<input checked="" type="checkbox"/>	Least processed materials
<input type="checkbox"/>	Uses renewable materials
<input type="checkbox"/>	Uses rapidly renewable material
<input checked="" type="checkbox"/>	Uses agricultural by-products
ENERGY RESOURCES	
<input type="checkbox"/>	Reduced embodied energy
<input type="checkbox"/>	Contributes to downstream reduction of energy use
<input type="checkbox"/>	Renewable energy
CORPORATE SOCIAL RESPONSIBILITY, ENVIRONMENTAL MANAGEMENT AND REPORTING	
<input checked="" type="checkbox"/>	Legal Compliance
<input type="checkbox"/>	SA 8000 certification
<input checked="" type="checkbox"/>	Social/ethical compliant supply chain
<input type="checkbox"/>	Public CSR/sustainability report
<input checked="" type="checkbox"/>	Environmental Management System (EMS)

<input checked="" type="checkbox"/>	Certified EMS
<input checked="" type="checkbox"/>	Environmental policy
<input type="checkbox"/>	Social or environmental enhancement programmes
OTHER VITAL SIGNS	
<input checked="" type="checkbox"/>	Material Safety Data Sheet (MSDS)
<input type="checkbox"/>	Quality Management System
<input checked="" type="checkbox"/>	Ecolabel / Certification
<input type="checkbox"/>	Environmental Product Declaration
<input checked="" type="checkbox"/>	Certification Mark
<input type="checkbox"/>	Independent LCA
<input type="checkbox"/>	Independent Audited LCA
<input checked="" type="checkbox"/>	Documented manufacturer claims
<input checked="" type="checkbox"/>	Expert Assessment
GREENTAG	
<input type="checkbox"/>	GreenTag –Platinum
<input type="checkbox"/>	GreenTag – Gold
<input type="checkbox"/>	GreenTag – Silver
<input type="checkbox"/>	GreenTag - Bronze
<input checked="" type="checkbox"/>	GreenRate – Level A
<input type="checkbox"/>	GreenRate - Level B
<input type="checkbox"/>	GreenRate – Level C

Product Images

..\..\..\PRODUCT & MANUFACTURER FILES_AU\MANUFACTURERS IMAGES_AU\Interloc & EM Utick\InterLoc\120113_InterLoc_Logo.jpg

..\..\..\PRODUCT & MANUFACTURER FILES_AU\MANUFACTURERS IMAGES_AU\Interloc & EM Utick\InterLoc\120113_InterLoc_Lockers.jpg

Thumbnail

..\..\..\PRODUCT & MANUFACTURER FILES_AU\MANUFACTURERS IMAGES_AU\Interloc & EM Utick\InterLoc\120113_InterLoc_Lockers.jpg

Attached files:

None.

Keywords

Locker, timber, MDF, Particleboard, low VOC, low formaldehyde, E0, wall, panel, MDF, reconstituted wood, engineered wood, board, gtg, greentag, greenrate, level A, laminex, storage, shelving, lockers, shelves, shelf, engineered timber, particle board, VOC, formaldehyde, workstation, joinery, shelving, storage, fitout, assembly, composite, veneers, greentag, greentag, greentag, greentag, greentag, greentag, greentag, secure lockers, bicycle storage.

Availability

Australia.

SUPPLIER / MANUFACTURER DETAILS

On ES Website.

PRODUCT CATEGORIES

(V18)

Adhesives, Tapes & Fasteners	
Adhesives & Tapes	
Equipment	
Fasteners	
Related Products & Services	
Air Systems	
Aerators	
Compressors	
De-aerators	
Ducts	
Equipment	
Filters	
Ionizers	
Nozzles	
Odour Control	
Pressure	
Purification	
Scrubbers	
Vacuum	
Appliances Commercial	
Cleaning	
Clothes Dryers	
Clothes Washing	
Dishwashing	
Hand Dryer	
Heaters	
Polishing	
Steam Cleaners	
Thermal Disinfection	
Water Blast Cleaners	
Appliances Domestic	
12 Volt	
Clothes Dryers	
Clothes Ironing	
Clothes Washers/Dryers	
Clothes Washing	
Cooktops	
Dishwashing	
Freezers	
Heaters	
Multi-function Ovens	
Ovens	
Refrigerator/Freezers	
Refrigerators	
Steam Cleaners	
Vacuum	
Architectural Finishes	
Trim Finishes	
Bathrooms & Laundries	
Cabinets & Joinery	
Commercial Bathrooms	
Hand Dryers	
Laundries	
Residential Bathrooms	
Bricks & Blocks	
AAC	
Cement-based	
Clay-based	
Earth-based	
Mortar	
Other	
Recycled/Re-used	
Building Management & Controls	
Active Power Factor Correction	
Building (BMS)	
CO2 Monitors	
Daylight	
Glare	
Lighting	
Peak Energy	
Security	
Sun-meters	
Sunscreens	
Thermal	
Ventilation & air	

Buildings	
Kit	
Portable	
Pre-fabricated	
Ceilings, Eaves, Soffits	
Ceiling Finishes	
Ceiling Materials - Sheet	
Ceiling Materials - Tile Systems	
Ceiling Materials - Timber	
Eave & Soffit Materials: Sheet	
Civil Structures	
Civil Structures	
Noise Barriers	
Tunnel Lining	
Cleaning	
Cleaners	
Detergents	
Equipment	
Floor	
Machine	
Sanitizers	
Systems	
Wipes	
Concrete, Admixtures, Sealers, Forms	
Admixtures	
Autoclaved Aerated Concrete (AAC)	
Cement Replacement	
Concrete Structure	
Curing Covers	
Dematerialized Concrete Structure	
Formwork & Shuttering	
Recycled Content	
Reinforcing	
Sealers, Filters	
Cooling	
Air-based System	
Commercial Refrigeration	
Cooling Systems	
Cooling Towers	
Radiant	
Water-based System	
Cooling - Air Conditioning	
Absorption	
Coil Coatings	
Ducted System	
Evaporative Coolers	
Gas Heat Cycle	
Gas Powered System	
Ground Loop	
Heatpump System	
Heat Recovery	
Hybrid System	
Innovative	
Reverse Cycle	
Solar	
Split System	
Variable Refrigerant Vol (VRV)	
Cooling - Equipment	
Access Floor	
Chillers	
Chilled Beams	
Compressors	
Condensers	
Displacement	
Ducting	
Fans	
Heat Exchangers	
Heat Recovery	
Cryogenic and low temperature insulation	
Process	

Registers	
Scrubber	
Cooling - Refrigerants	
Leak Detection	
Refrigerant fluids	
Recovery Systems	
Doors & Gates	
Automatic Doors	
Commercial Doors	
Door Fittings	
Door Surrounds	
Fire Doors	
Gates	
Industrial Doors	
Residential Doors	
Seals & Weather-Stripping	
Electrical & Electronic	
Automated Sensing	
Batteries & Inverters	
Cables	
Conduits	
Electrical	
Electronic Ballasts	
High Frequency Ballasts	
Meters & sub-meters	
Energy Sources	
Biogas	
Biomass	
Building Integrated PV (BIPV)	
Co-generation	
Electric	
Emergency Power	
Ethanol	
Fuel Cell	
Gas	
Ground / geothermal	
Hydro	
Innovative Alternative Energy Sources	
Landfill Gas	
Photo-Voltaic (PV)	
Solar Thermal	
Tidal	
Transport	
Tri-generation	
Wind	
Equipment & Services	
Building Instruments	
Computer Software	
Drawing Equipment	
Information Websites	
Services for Designers	
Storage	
Telecommunications	
Fabrics	
Blends	
Filter Fabrics	
Geo-textiles	
Leather	
Natural	
Synthetic	
Façade	
Cladding Material	
Systems	
Fencing, Screening	
Fencing Materials	
Fencing Systems	
Screening Materials	
Fittings & Fitments	
Fireplace	
Ethanol fireplace	
Floor Coverings	
Bamboo Based	
Carpet (Non-Wool Based)	
Carpet (Wool Based)	
Ceramic Tiles	
Natural Stone	

Polished Concrete	
Protection & Safety Matting	
Resilient	
Sports Floor	
Timber Floating Floors	
Timber Parquetry	
Underlays/Leveling Compounds	
Floor Finishes	
Coatings & Sealants	
Integral	
Oils	
Stains	
Floor Systems	
Access	
Concrete	
Hybrid	
Lightweight	
Steel	
Timber	
Underlay Materials	
Furniture	
General Use Chairs	
Hospitality Furniture	
Office Chairs	
Office Furniture	
Office Joinery	
Office Storage Units	
Office Tables	
Office Workstations	
Stackable Chairs	
Glass	
Double Glazing	
High Transmission	
Low E	
Low U Value	
Reflective (low SHGC)	
Self Cleaning	
Smart Glass	
Sustainable	
Switchable	
Toned (low SHGC)	
Glass - Film	
Appearance	
High Transmission	
Low E	
Low U Value	
Reflective (low SHGC)	
Security	
Toned (low SHGC)	
Handrails & Balustrades	
Handrails & balustrades	
Homes	
Kit	
Portable	
Pre-fabricated	
Heating	
Ductwork	
Floor	
Gas	
Industrial	
Miscellaneous	
Radiant	
Solar	
Space Heating	
Heating - Commercial	
Boilers	
Process	
Radiant	
Space Heating	
Heating, Cooling & Ventilation (HVAC)	
Industrial Equipment	
Conveyors	
Nozzles	
Pipes	
Pulse Sprayers	
Pumps	
Tanks	
Insulation - Acoustic	
Bulk	
Cavity	
Foam	
Hybrid	
Reflective	
Sub-soil	
Structural	
Walls / Partitions	
Insulation - Thermal	
Bulk	
Cavity	
Foam	

Hybrid	
Reflective	
Sub-soil	
Structural	
Interiors & Fit-outs	
Beds, Bed Linen & Mattresses	
Floor Coverings	
Furniture & Layout	
Interior Décor	
Interior Lighting	
Joinery	
Shelving & Storage	
Shop Fittings & Retail	
Signage	
Specialist Fit-out	
Interior Equipment & Fittings	
Bicycle Storage	
Building Durability Fittings	
Computer Monitor	
Pivot Arm	
Secure Lockers	
Vehicle Parking	
Kitchens	
Benchtops & Splashbacks	
Cabinets & Joinery	
Commercial Kitchens	
Kitchen Appliances	
Residential Kitchens	
Landscaping & Outdoor	
Clothes Drying	
Dam Covers / Evaporation Protection	
Dam Liners	
Decks & Balconies	
Fireplaces / Heaters	
Flood Mitigation	
Gravel -Recycled	
Greenhouse/Hothouse	
Hard Landscaping	
Leisure & Sport	
Outdoor Structures	
Paving	
Pedestrian Control	
Roads	
Shade Structure	
Soft Landscaping	
Sub-base	
Urban Fittings	
Vehicle Controls	
Vehicle Parking	
Water Feature	
Lighting	
Accessories	
Commercial Exterior	
Commercial Interior	
Daylight Sensitive	
Domestic Exterior	
Domestic Interior	
High Bay	
Industrial	
Light Shelves	
Low Energy	
Low Light Spill	
External	
Movement Sensitive	
Power Management	
Public External	
Maintenance	
Electrical	
External	
Hydraulic	
Mechanical	
Structural	
Surface	
Marine / Marina	
Pontoons	
Piles / Poles	
Structure	
Decking	
Navigation	
Fenders / Camels	
Infrastructure	
Bridges	
Materials	
Aerated Concrete (AAC)	
Ceramic & Tile	
Cement, Cement-based & Lime	
Cement	
Replacements/enhancers	
Composite	

Earth	
Innovative	
Metals	
Mineral-based	
Paper & Cardboard	
Plant Based	
Plastics & Rubber	
Stone & Slate	
Materials - PVC Replacement	
Blinds	
Conduits	
Edge Stripping	
Electrical, Phone & Data Cables	
Finishes & Fittings	
Floor Coverings	
Furniture Components	
Pipe-work	
Preferred Content	
Skirtings	
Wall Coverings	
Wet Floor Coverings	
Mortars & Grouts	
Mortars	
Grouts	
Multimedia	
Computer	
Entertainment	
Home Automation	
Intercom	
Video	
Odour Control	
Air Systems	
Solids Treatment	
Water Systems	
Paints & Surface Treatments	
Additives	
Oils	
Paints & Stains	
Removal	
Surface Coatings	
Surface Treatments	
Pest Control	
Other	
Termite	
Plantscaping	
Geo-textiles	
Growing Media/Soils	
Indoor	
Membrane Protection	
Mulches	
Outdoor	
Planters	
Plants	
Structures	
Sub-irrigation Systems	
Pools & Spas	
Alternative Water Treatments	
Pavers	
Pool Covers	
Pool Filters	
Solar Heating	
Structural	
Roofs	
Roof Cladding	
Roof Drainage	
Roof Finishes	
Roof Fittings	
Roof Systems	
Skylights	
Tensile	
Roofs - Green	
Drainage	
Extensive Systems	
Filter Fabrics	
Growing Media/Soils	
Irrigation	
Modular Systems	
Mulches	
Plants	
Sanitary Items	
Health Care	
Personal Care	
Sanitary Paper	
Wipes	
Sauna	
Energy Efficient	
Sealants	
Expansion Joint	
External Sealants	
Fire Sealants	
General Sealants	
Thermal Sealants	

Waterproofing	
Sealants	
Seals	
Acoustic	
Fire	
Thermal	
Vermin	
Security, Fire & Safety	
Fire Control	
Safety	
Security	
Site-works	
Ground-works	
Piles & Footings	
Site Establishment	
Site Services	
Stairs, Escalators & Lifts	
Escalators	
Lifts	
Stairs, Ladders & Ramps	
Steel	
Lightweight	
Recycled	
Tensile	
Storage & Filing	
Compactors	
Filing Units	
Pallet Racking	
Storage Units	
Structures, Frames	
Beams, Lintels, Joists	
Columns	
Structural Frames	
Tensile	
Trusses	
Whole Buildings	
Sun Control	
Shade Structures	
External Building	
Internal Building	
Timber	
Appearance	
Coatings, Treatments	
Composite	
Dematerialization	
Fire Wood (found or recycled)	
FSC Certified	
Joinery	
Landscaping	
PEFC Certified	
Recycled/Re-used	
Structural	
Wood-based	
Veneers	
Ventilation	
Automated	
Control	
Displacement Unit	
Ductwork	
Exhaust Fans	
Exhaust Fans Appliance	
Exhaust Fans Car Park	
Exhaust Fans Room	
Exhaust Fans Variable Speed	
Exhaust Fans WC	
Heat Exchanger	
Manual	
Natural	
Solar Acoustic (SAV)	
Supply Fans	
Supply Fans Ceiling	
Supply Fans Roof	
Supply Fans Variable speed	
Supply Fans Whole House	
Vents	
Walls	

Basement / Retaining	
Demountable	
Partitions	
Exterior Wall Cladding	
Exterior Wall Finishes	
Exterior Walls	
Interior Wall Cladding	
Interior Wall Finishes	
Interior Walls	
Permanent Partitions	
Moveable Partitions	
Structural Partitions	
Tensile	
Toilet Partitions	
Walls - Green	
Drainage	
Extensive Systems	
Filter Fabrics	
Green Walls	
Growing Media/Soils	
Irrigation	
Modular Systems	
Mulches	
Plants	
Waste	
Cleaning	
Fat & Grease Removal	
Maintain & Repair	
Medical	
Odour Control	
Recycling Systems	
Reduction Systems	
Solid Waste Management	
Waste Disposal	
Waste Reformation	
Waterproofing & damp control	
Damp control	
Waterproofing	
Water - Fittings	
Bathroom Taps	
Diverters	
Drains - Solid Waste Removal	
Flow Controllers	
Kitchen Taps	
Showerheads	
Sinks - Solid Waste Removal	
Toilets	
Urinals	
Water Taps	
Waterproofing	
Water & Gas	
Chilled/Boiling Water Filtration Units	
Flow Controllers	
Gas	
Gutters & Down Pipes	
Meters & Sub-meters	
Pipes	
Pumps	
Taps & Fitting	
Water - Generating	
Electric Condensation	
Reverse Osmosis	
Solar	
Waste Heat	
Water - Greywater	
Diverters	
Odour Control	
Purification	
Re-use	
Tanks & Storage	
Water - Hot Water Systems	
Co-generation	
Diverters	
Heat Exchangers	
Heat Pumps	
High Efficiency Gas	

Instant Boiling	
Instantaneous Gas	
Pool	
Re-circulators	
Solar Electric	
Solar / Gas	
Solar Thermal	
Tanks	
Water Diverters	
Water - Industrial	
Cleaners	
Disinfection	
Steam	
Tanks	
Treatment	
Waterproofing	
Water - Irrigation	
Control	
Pipes	
Sensors	
Sprinklers	
Systems	
Water - Potable Water	
Cooling	
Dehumidifiers	
Purification	
Water - Rainwater	
Control	
Harvesting	
Infiltration	
Purification	
Re-use	
Tanks & Storage	
Water - Sewer	
Dry Composting	
Odour Control	
Purification	
Re-use	
Tanks & Storage	
Waterless Fittings	
Wet Composting	
Water - Storm-water	
Control	
Harvesting	
Infiltration	
Odour Control	
Purification	
Re-use	
Tanks & Storage	
Watercourse	
Pollution	
Minimization Systems	
Windows & Window Furnishings	
Blinds & Curtains	
Commercial Windows	
Shop Fronts	
Double Glazed	
Furniture & Hardware	
Preferred Content	
Residential Windows	
Seals & Weather-Stripping	
Shutters & Louvres	
Thermally Broken Frames	
Window Films	
Window Fittings	
Window Surrounds	
Window & Skylight Treatments	